

# **AQUA BODY 776 BLEND IN THINNER**

Technical Data Sheet No 304



Special Blend-in Thinner for AQUA BODY basecoat paint. Suitable for all AQUA BODY MIX SYSTEM shades either metallic or non metallic, whenever blending (fade-out) on spot repairs is necessary.

Contains universal thinner

Fade-out thinner

Colorless

#### General Technical Description

2-3 light passes

Specially formulated thinner/ reducer for the fade out of the mist, on borderline areas, during (in case of spot repairs).

### Surface

Specially formulated thinner/ reducer for the fade out of the mist, on borderline areas, during (in case of spot repairs).

After you are done with the spot repair, charge AQUA BODY 776 BLEND-IN Thinner, into the spray gun (do not clean it).

Apply on the spot. Follow a two step process:

#### Pretreatment / Cleaning of substrate



No pre treatment necessary.

Make sure the surface is air dried rather than wiped dry



Make sure you always use appropriate face protection and good ventilation

## **Product Application:**



Mix 10-20% of the 776 thinner with the ready made paint just before the final mist is applied.



Apply the final mist of the colour shade on the outline of the repaired area.



Leave 10-15 seconds flash



Immediately apply again AQUA BODY 776 BLEND - IN THINNER.



Always wear protective equipment



Follow the application instructions mentioned in this TDS

Note: Paint procedures should be followed accordingly in order to fix a spot repair. Fade out thinner should be used on the ready thinned paint by adding approximately 10-20% of the product in the spray gun in order to apply the final coat.

Flash Point: 20°C / 68°F

Specific Gravity: 1.01g/cm<sup>3</sup>

Solid Content (No thinner): 16% Weight

VOC (2001/42/EC)

Theoretical Coverage:

#### Remarks:

- •Always try to use the product in accordance with the specifications provided.
- •It can be used by countries that do not adopt the VOC legislation as well.
- ·Shake thoroughly before use.
- •Optimum operating range 10-25°C

#### Storage shelf life:

 Store in a cool place and use within 12 months for best results. Guaranteed shelf life of 24 months in unused original containers.

For professional use only. The information displayed on this sheet has been carefully selected though a series of laboratory investigations. It is based on our best knowledge at the time of issue. The data is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check for newer updates or further information if needed for his intended purpose. The intellectual property of this product, trademarks and copyrights is protected. All rights reserved. The relevant Material Safety Data Sheet and warnings displayed on the label must be read carefully. We may modify and / or discontinue operation of all or portions of this information at any time in our sole discretion, without any notice and assume no responsibility to update the information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

Issue 1/2013, April 2013