

SPRAY BODY LENS TINT BLACK

Technical Data Sheet



General Technical Description VOC compliant with the

1 half coat

1 full coat

Dust free 15-20 min at 18-22°C

Surface

All types of transparent plastic automotive parts.

Cleaning of substrate



Clean substrate using a soft cloth and BODY 770 ANTISIL NORMAL / BODY 771 ANTISIL

Make sure the surface is air dried rather than wiped dry



Make sure you always use appropriate face protection and good ventilation

Excellent results

No hardener required

regulations

Easy to use

High gloss

Product Application: »» Ideal for lens tinting



Pretreatment of substrate P2000 wet sanding

Clean substrate using **BODY 770 ANTISIL** NORMAL / BODY 771 ANTISIL FAST.



Shake well before using



1- 1^{1/2} coat Darker tinting effect with more coats



Dust free 15-20 mins at 18-22°C



Full hardness within 24 hours.

Flash Point: -97°C

Specific Gravity: 0.935 g/cm3

Solid Content (No thinner): 17,8% Weight

VOC (2004/42/EC)

This product is an aerosol product based on its ingredients and its properties. The maximum VOC content in this category is 840 g/L. The VOC content in the ready for use form of this product is 835g/L. 2004/42/IIB(e)(840)835

Theoretical Coverage:

Cleaning of equipment:

Remarks:

- Always try to use the product in accordance with the specifications provided
- It can be used by countries that do not adopt the VOC legislation as well.

· Storage shelf life:

Store in a cool place and use within 36 months for best results.

For professional use only. The information displayed on this sheet has been carefully selected though a series of laboratory investigations. It is based on our best knowledge at the time of issue. The data is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check for newer updates or further information if needed for his intended purpose. The intellectual property of this product, trademarks and copyrights is protected. All rights reserved. The relevant Material Safety Data Sheet and warnings displayed on the label must be read carefully. We may modify and / or discontinue operation of all or portions of this information at any time in our sole discretion, without any notice and assume no responsibility to update the information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

Issue 1/2014, December 2014